


HIMALAYA SAUNA HEATER




finnleo[®]
pure sauna



HIMALAYA HEATER

The Himalaya is Finnleo's most popular heater upgrade, by far. It truly changed the sauna industry and the sauna user experience. We are thrilled to now offer the Himalaya heater with the SL2, the control that fulfills the most wished-for feature: operating a sauna heater from a mobile phone.

Design by SALA Architects

HIMALAYA ROCK TOWER HEATER

The name of the legendary mountain range means "home of the snow". Like its namesake, the secret of Finnleo's Himalaya heater also lies in the natural water cycle.

The Himalaya has several new features unique to North America: a rock tower design with 210 pounds of rocks and standard BWT technology (an integral water tank that emits soft steam during the sauna session). The combination of soft heat from the large rock mass and the humidity from the BWT is a "game changer" in the sauna industry, creating a much more pleasant sauna experience. Add a glass ring for in-bench designs and your sauna will look as beautiful as it is functional.

- Floor standing, rock tower heater with stunning Nordic design
- Used in corner installations, mid-sauna installations, or other through-bench installations

SAUNALOGIC2 (SL2) CONTROL

The SL2 is North America's first sauna control with true worldwide mobile functionality. With this control, you can operate your sauna heater from anywhere; your mobile phone becomes your sauna control.

BWT ON-BOARD

TWO SAUNA TYPES FROM ONE HEATER: BIO-WATER TECHNIQUE (BWT)

Flexi-Sauna

Fill BWT water container and set temperature to:

140-175 ° F

- More humidity
- Lower temperature
- A gentle sauna experience
- Bio-aroma available

Hot & Dry Sauna

Use BWT without water and set temperature to:

175-190 ° F

- High temperature
- Low humidity
- Intense sauna sensation



CORNER INSTALLATION



MID-SAUNA INSTALLATION




THROUGH-BENCH INSTALLATION

HIMALAYA HEATER	Himalaya 7	Himalaya 9
Sauna size (Cu. Ft.)	175-350	310-500
Heating power (kW)	6.8	9.0
Vulcanite rocks (lbs)	210	210
Amps / Voltage / Phase	28.3 / 240 / 1	37.5 / 240 / 1
Amp / Voltage / Phase	18.9 / 208 / 3	25.0 / 208 / 3
Shipping weight	16	16
Dim. (inch) (WxHxD)	12x40-1/2x15	12x40-1/2x15
Control Unit	Elite, Pure 2.0, SaunaLogic2	Elite, Pure 2.0, SaunaLogic2


SAUNALOGIC2 CONTROL

- Mobile app with worldwide functionality
- Create user preferences (temp., lighting, duration)
- Manage calendar programming
- Glass touch screen
- 3 3/8"W x 5 1/2"H x 1/4"D
- Operates time, temperature and lighting
- Built-in Bluetooth for use with optional SL2 audio kit.
- 24-hour time delay
- 60-minute timer
- Built-in RGBW light control with dimmer (to control the optional SL2 light kit)
- Use with Himalaya SL2 heater or Designer SL2 heater
- Contactor box required
- Combine the best of both worlds – the Himalaya rock tower heater with the SaunaLogic2 control



ELITE TOUCHSCREEN CONTROL


- Touch screen operation for easy control
- Surface mount
- 3 3/8"W x 5 1/2"H x 1/4"D
- Includes choice of trim ring. Mount inside or outside the sauna room
- Intelligent Start (pre-heat sauna when you want it)
- Calendar Programming (set your sauna to work according to your schedule)
- User Favorites (the control remembers user preferences)
- Includes "Finnleo Control" app for Android and iPhone; for use within your home's local area network.
- No contactor box required



PURE 2.0 DIGITAL CONTROL

Finnleo's Pure 2.0 digital control provides European design with superb functionality.

- 3 3/8"W x 5"H x 1/2"D
- Time and temperature settings
- LED digital temperature readout
- 24 hour time delay
- Light switch
- Can be mounted inside or outside the sauna
- Surface mount
- No contactor box required





finnleo


finnleo[®]
pure sauna

Toll free: 1-800-346-6536

Phone: 1-320-286-5584

Fax: 1-320-286-6100

Email: info@finnleo.com
www.finnleo.com

575 East Cokato Street
Cokato, MN 55321

© 2020 Finnleo Sauna